

Calculation Policy: Addition


Key language: sum, total, parts and whole, plus, add, together, more, same as

Concrete	Pictorial	Abstract
Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).	Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.	4 + 3 = 7 Four is a part, 3 is a part and the whole is seven.
Counting on using number lines using cubes or Numicon.	A bar model which encourages the children to count on, rather than count all.	The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? 4 + 2






Conceptual variation; different ways to ask children to solve 21 + 34




$$21 + 34 = 55$$
. Prove it

Calculate the sum of twenty-one and thirty-four.



Missing digit problems:


10s	1s	
10 10	0	
00 00 00	?	
?	5 -	





Calculation policy: subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

Concrete	Pictorial	Abstract
Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used).	Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.	4-3=
4 − 3 = I	Ø Ø Ø O	4 3 ?
Counting back (using number lines or number tracks) children start with 6 and count back 2. 6 - 2 = 4 1 2 3 4 5 6 7 8 9 10	Children to represent what they see pictorially e.g.	Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line









Calculation policy: Multiplication


Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete	Pictorial	Abstract
Repeated grouping/repeated addition 3 × 4 4 4 + 4 + 4 There are 3 equal groups, with 4 in each groups.	Children to represent the practical resources in a picture and use a bar model.	3 × 4 = 12 4 + 4 + 4 = 12
Number lines to show repeated groups- 3 × 4 Cuisenaire rods can be used too.	Represent this pictorially alongside a number line e.g.:	Abstract number line showing three jumps of four. 3 × 4 = 12





Conceptual variation; different ways to ask children to solve 6 × 23



Calculation policy: Division


Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract
Sharing using a range of objects. 6 ÷ 2	Represent the sharing pictorially.	6 ÷ 2 = 3 Children should also be encouraged to use their 2 times tables facts.


Repeated subtraction using Cuisenaire rods above a ruler. $6 \div 2$ -2
-2
-2
-2
0 1 2 3 4 5 6 7 8 9 10

3 groups of 2

Children to represent repeated subtraction pictorially.



Abstract number line to represent the equal groups that have been subtracted.



 $2d \div Id$ with remainders using lollipop sticks. Cuisenaire rods, above a ruler can also be used.


13 ÷ 4

Use of lollipop sticks to form wholes- squares are made because we are dividing by 4.



There are 3 whole squares, with I left over.

Children to represent the lollipop sticks pictorially.





There are 3 whole squares, with I left over.

I3 ÷ 4 − 3 remainder I


Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.

'3 groups of 4, with I left over'






Short division using place value counters to group. $615 \div 5$




- 1. Make 615 with place value counters.
- 2. How many groups of 5 hundreds can you make with 6 hundred counters?
- 3. Exchange I hundred for 10 tens.
- 4. How many groups of 5 tens can you make with 11 ten counters?
- 5. Exchange I ten for I0 ones.
- 6. How many groups of 5 ones can you make with 15 ones?

Represent the place value counters pictorially.



Children to the calculation using the short division scaffold.

Long division using place value counters 2544 ÷ 12



We can't group 2 thousands into groups of 12 so will exchange them.

We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

1000s	100s	10s	1s	After exchanging the hundred, we	021
		0000	0000	have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.	12 254 24 14 12
1000s	100s	10s	1s	After exchanging the 2 tens, we	0 2

1000s	100s	10s	1s
			0000 0000 0000 0000

After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

12 2544

14 12


24 24

24

Conceptual variation; different ways to ask children to solve 615


÷ 5

Using the part whole model below, how can you divide 615 by 5 without using short division?



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?



 What is the calculation? What is the answer?

