

Academy: Weston Infant and Junior Academies (The Weston I	Federation)	Prepared By: C Leach Principal section completed by: Julie Birchall	Date: 04-04-2022
Activity Workplace: Novel Coronavirus (COVID-19) Revision: 23 04-04-2022 Guidance: Living safely with respiratory infections, including COVID-19 Published 1 st April 2022. People with symptoms of a respiratory infection including COVID-19 Published 1 st April 2022. COVID-19: guidance on protecting people defined on medical grounds as extremely vulnerable Published 1 st April 2022	Manager: St Bart's Multi-Academy Trus	st	Next Annual Review Date: 07-03-2023 or change to guidance
Transmission / Spread of Respiratory Infections Including Novel Coronavirus (COVID-19) Breathing in air when close to an infected person who is exhaling small droplets and particles that contain the viruses. Small droplets and particles that contain viruses land on the eyes, nose, or mouth, especially through splashes and sprays like a cough or sneeze. Touching eyes, nose, or mouth with hands that have the viruses on them.	(COVID-19)	egrees) e of smell (anosmia) lilder Symptoms of Novel Coronavirus sore throat, muscle aches; shortness of	



Haz	zard	Ir	nitia	al risk		A	ction plan		Re	esidu	ıal risk
Details of hazard	Who is affected and how?	Likelihood	Consednence	Risk L/M/H	What controls are already in place	Further action required	By whom	By when	Likelihood	Consequence	Risk L/M/H
Awareness and understanding Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	3	4	H9IH	1. R23 Staff with mild symptoms such as a runny nose, sore throat, or mild cough, who are otherwise well, can continue to attend work. Staff who have COVID-19 main symptoms, who are unwell and have a high temperature are advised through verbal and written communication including signs that they should avoid contact with other persons and remain at home when possible until they feel well enough to attend and their temperature has returned to normal. 2. R23 Pupils with mild symptoms such as a runny nose, sore throat, or mild cough, who are otherwise well, can continue to attend school. Pupils who have COVID-19 main symptoms, who are unwell and have a high temperature are advised through verbal and written communication including signs that they should avoid contact with other persons and remain at home when possible until they feel well enough to				1	4	LOW



	attend and their temperature has returned to normal. 3. R23 Staff, parents, visitors and contractors are reminded through verbal and written communication including signs they should avoid contact with other persons and remain at home when possible for days after the day of a positive LF test result. 3A. R23 Parents are reminded through verbal and written communication including signs the pupils should avoid contact with	LFD test should inform the Principal and remain at home where possible.	All staff	Ongoing	
	pupils should avoid contact with other persons and remain at home when possible for 3 days after the day of a positive LFD test result. 4. Regular briefings of GOV.UK Coronavirus (COVID-19) latest information give to all staff. 5. COVID-19 risk assessment and revisions communicated to staff. 6. R23 Latest PHE Coronavirus (COVID-19) posters displayed in sareas/visitor areas, entrances, classrooms and toilets for	1			
	vaccinations, hand hygiene, cleaning, ventilation, avoiding conwith others. 7. Pupils reminded regularly to tell member of staff if they feel unwell. 8. e-Bug resources to teach pupils and parents about hygiene used.	la			



9. R23 Talks given to children about
coronavirus (COVID-19) virus's
including hand and respiratory
hygiene.
10. Pupils with SEND provided with
specific help in preparation for
changes.
11. Parents, contractors and visitors
informed of the measures in place to
reduce transmission of the virus.
12. Behaviour policies with rules for
hand and respiratory hygiene and
consequences for poor behaviour
communicated to staff, pupils and
parents.
13. Staff provided with guidance
information to wear a face covering
or face visor (when exempt from
wearing face coverings) when away
from the school and the space is
enclosed or crowded and they are
with people they do not normally
meet.
14. Staff provided with guidance
information that when rates of
transmission are high to wear a face
covering or face visor (when exempt
from wearing face coverings) in
school when the space is enclosed
or crowded and they are with people
they do not normally meet.
15. Parents, visitors and contractors
informed they must wear masks/face



					coverings or face visors when exempt from wearing face coverings in particular settings. 16. SLT monitor staff, pupil, visitor, contractor and parent adherence to government COVID-19 guidance and the schools COVID-19 Risk Assessment and implement additional controls, as necessary. 17. Parents advised of the SEND guidance and additional support for SEND pupil close contact.						
Attendance	Pupils Effects Loss of learning Loss of social development Safeguarding concern Stress	4	3	HIGH	 R23 Parents informed pupil attendance is mandatory for all pupils, unless they have tested positive for COVID-19, have COVID-19 main symptoms, are unwell and have a high temperature. Where a pupil is unable to attend because they are following clinical and/or public health advice, they are offered access to remote education immediately. Any concerns from staff, parents and pupils about being at school are discussed with the SLT and individuals. Pupils who are reluctant or anxious to attend school are identified and SLT develop plans to re-engage these pupils. 	Attendance Lead to monitor attendance (persistent absence) and to liaise with parents and the EWO to ensure that pupils are attending school.	Mrs Brown	Ongoing	1	1	LOW



COVID-19 testing Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	4	4	HIGH	1. Staff informed twice weekly lateral flow device (LFD) tests are no longer a requirement. 2. R23 Staff with any of the main COVID-19 symptoms are requested to carry out a LFD test where tests are available and if the result of the test is positive avoid contact with others and try to stay at home for 5 days from the day following the test 3. R23 Whilst government supplied home LFD and PCR test kits are available, the school will in exceptional circumstances at the request of PHE or LA supply kits to staff and pupils. School arrange posting or remote drop off of test kits.	Staff to follow current NHS guidance.	All staff	Ongoing	1	4	TOW
Staff/pupils who have been previously identified clinically vulnerable or clinically extremely vulnerable. Staff/pupils who live with someone who is confirmed clinically vulnerable or clinically vulnerable extremely vulnerable.	Staff Pupils Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	5	VERY HIGH	 COVID 19: Individual Risk Assessment completed for staff. COVID 19: Individual Risk Assessment reviewed, action plan updated and agreed as guidance changes. Previously confirmed clinically extremely vulnerable persons should attend school unless advised to shield by a medical professional. Additional support provided for good hand hygiene, cleaning and increased ventilation through increased communication, facilities and materials. Pupils monitored by staff for good 	Individual risk assessment to be completed/ reviewed for any member of staff who is pregnant, BAME, CEV.	Principal/ Mrs Procter/ Mr Lowndes	Ongoing	1	5	MEDIUM



Staff/pupils who are from Black, Asian and Minority Ethnic (BAME) backgrounds Long-term conditions like diabetes, cancer and chronic lung disease. Conditions such as obesity. Underlying health problems Expectant mothers Transmission / Spread of Germs and Novel Coronavirus (COVID-19)					hand hygiene practises. 6. Pupils Care Plans reviewed and amended to reduce the risk of COVID-19 infection. 7. Concerns discussed with SLT when shown by staff, pupils, and parents especially for pupils and staff with significant risks. 8. R23 Staff at a higher risk recommended not to: a. deliver first aid b. provide personal or intimate care to pupil's c. supervise pupil's showing COVID-19 symptoms or virus symptoms or high temperatures. 9. Monitoring of pupil and staff compliance with disclosed medical advice. 10. Unvaccinated or partially vaccinated staff advised to take a more precautionary approach. 11. Pregnancy risk assessment carried out for new and expectant mothers and revised when guidance changes. 12. Pregnancy risk assessment considers additional precautions to be taken.						
Unvaccinated members of staff Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Effects Mild flu symptoms Respiratory infection Breathing difficulties 	4	5	VERY HIGH	 All eligible staff are upon request provided with access information for NHS vaccine guidance. Staff eligible for vaccination are allowed to attend booked appointments. 	Principal to make unvaccinated staff aware of rising cases in school.	Principal	Ongoing	1	4	LOW



Travel to and from	• Staff				3. The vaccination status of staff should be shared with the School Principal so consideration can be given where needed to protect staff and pupils. 4. Any communications produced by the school regarding vaccination are retained, in line with the Data Protection Policy. 5. R23 Staff who are not fully vaccinated should pay particular attention to the school's existing COVID -19 controls around ventilation, hand washing, cleaning of surfaces etc. 6. R23 School Principal to consider additional measures to protect staff who are not fully vaccinated case-bycase. 7. R23 In all cases, the school does not discriminate against any member of staff who has not being fully vaccinated for any reason, and adheres to its duties under the Equality Act 2010. 8. R23 The NHS website provides information about available vaccines and when to have them.	Staff to be	All staff	Ongoing			
school Transmission /	PupilsParentsVisitorsContractors	4	4	HIGH	COVID-19 symptoms or are unwell and have a high temperature are advised to avoid contact with others and to remain at home where	advised to travel to school alone	All Stall	Origoning	1	4	LOW





Visitors, Parents Delivery drivers Contractors Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3 4	4 1 9 H	 Access to the school allowed by prior appointment only. Guidance provided to visitors, parents and contractors before entry to the school building around persons with COVID-19 symptoms, COVID-19 positive persons, hand hygiene, respiratory hygiene, wearing of face coverings or face visors when exempt from wearing face coverings. Additional COVID-19 control measure training given to school hosts. 	Office staff to check with SLT/Site Manager that prior appointments have been made.	Office staff	Ongoing	1	4	TOW
---	--	-----	--------------------	---	---	-----------------	---------	---	---	-----



Staff, pupils showing Coronavirus infection (COVID-19) or virus symptoms and have a high temperature on arrival and whilst at school. Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Casualty Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	5	4	VERY HIGH	Staff 1. R23 Staff who develop main symptoms of COVID-19, feel unwell and have a high temperature are to inform a member of the SLT and to avoid contact with others and to try to stay at home. 2. R23 Staff who have COVID-19 symptoms or a virus and a high temperature or do not feel well enough to attend work should avoid contact with others until they no longer have a high temperature (if they had one) or until no longer feeling unwell. 3. R23 Staff who have COVID-19 symptoms or a virus and a high temperature or do not feel well enough to attend work should avoid close contact with anyone who is at higher risk of becoming seriously unwell if they are infected. Pupils 1. R23 Careful consideration given to refuse a pupil access to school. Pupils with mild symptoms such as a runny nose sore throat or	Staff and pupils displaying symptoms to follow the current NHS guidance.	All staff	Ongoing	2	4	MEDICM
					with mild symptoms such as a runny nose, sore throat, or mild cough, who are						



otherwise well, can continue					
to attend school. Pupils who					
have main COVID-19					
symptoms, who are unwell					
and have a high					
temperature should avoid					
contact with other persons					
and remain at home to avoid					
potential risk to others.					
Decisions made using latest					
PHE guidance.					
2. Pupils reminded regularly					
to tell a member of staff if	School to	Office staff	Ongoing		
they feel unwell	phone home				
3. R23 Pupils who are unwell	if a pupil				
with more than a runny	becomes				
nose, sore throat, or slight	unwell.				
cough and have a high					
temperature are to be					
placed in an isolation					
location whilst waiting					
parental collection.					
4. R23 Advice is given to					
parents that school					
attendance should be					
maintained by pupils who					
have mild symptoms such					
as a runny nose, sore					
throat, or mild cough, who					
are otherwise well, Pupils					
who have main COVID-19					
symptoms, who are unwell					
and have a high					
temperature should stay at					
home until they no longer					
have a high temperature					



Pupil COVID-19, virus symptoms and	Staff Casualty				and they are well enough to attend.1. School isolation locations have a supply of disposable	Site manager to ensure	Site Manager –	Ongoing			
high temperature isolation at school Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	5	4	VERY HIGH	tissues, a foot operated bin with bin bag, anti-bacterial wipes, sink with liquid soap and disposable hand towels or hand sanitiser 60% alcohol, face masks with an FFP2 or FFP3 rating where available or fluid resistant surgical masks, latex free disposable gloves, disposable aprons, face visor or safety goggles 2. Isolated pupils to use a separate bathroom if possible. 3. R23 Isolated pupils reminded a. not to touch people, surfaces and objects b. cover their mouth/nose with a tissue when they cough or sneeze c. put used tissues in a bin or in a bag or their pocket for disposing in a bin later d. if tissues are not available to cough and sneeze into the crook of their elbow e. wear a face covering when possible 4. Emergency assistance is called immediately if the	that isolation rooms (library Infants and medical room Juniors) contain required supplies and these are ordered and updated regularly.	Mr Lowndes		2	4	MEDICA



pupil's symptoms worsen,
and they require further
medical care.
5. If direct personal care is
needed and staff cannot
maintain a distance of two
metres staff to wear:
a. FFP2, FFP3 tight-fitting
face mask where available
or fluid resistant surgical
face mask.
b. face visor or goggles to
be worn if the isolated
person is coughing,
sneezing, vomiting or
spitting. c.
latex free gloves and
disposable apron if physical
contact is necessary.
6. Staff to receive training
on the correct method
required to put on and
remove PPE. 7.
Once vacated places of
isolation, toilets and other
locations such as
classrooms or offices used
by the symptomatic person will be cleaned and
disinfected in accordance with PHE "Decontamination
in non-healthcare settings
guidance" using standard
cleaning products.
8. Staff should wear as a
minimum disposable gloves



and apron. Additional PPE
(FFP2, FFP3 tight-fitting
face mask if available or
fluid resistant surgical face
mask and face visor or
goggles worn when a risk
assessment indicates a
higher level of virus may be
present.
9. All waste that has been in
contact with the
symptomatic person,
including used tissues and
PPE, all PPE worn by staff
in close contact with the
person and all cloths and
mop heads used to disinfect
areas are put in a plastic
rubbish bag and tied when
full. The plastic bag then
placed in a second bin bag
and tied. Waste put in a
secure safe place and
marked for storage for at
least 72 hours before putting
into usual external
household waste bin.
10. Staff to wash their hands
thoroughly for 20 seconds
with soap and running water
or use hand sanitiser
following cleaning of or
areas, removal of PPE and
after any contact with
someone who is unwell.
11. Any staff/pupils who



					have been in close contact someone with symptoms even if they test positive are informed they do not follow national stay at home guidance and arrange a PCR test unless they develop symptoms themselves.						
Managing confirmed cases of coronavirus Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	5	4	VERY HIGH	1. R23 Staff who have COVID-19 symptoms and have access to a LFD test are requested to take a test and if positive inform a member of SLT. 2. R23 Following a positive LFD test result staff should for 5 days and pupils should for 3 days from the day after they took a test avoid contact with other persons. 3. R23 Staff and pupils after the stipulated contact avoidance period can resume contact if they feel well and do not have a high temperature (if they had one) 4. R23 Staff who have tested positive for COVID-19 should avoid meeting people at higher risk of becoming seriously unwell from COVID-19, despite vaccination, for 10 days	Staff to return to school 5 days after a positive LFD test and pupils 3 days and staff to be encourage to wear a mask.	All staff	Ongoing	1	4	TOW



 ll I	
	after the day the test was
	taken.
	5. Where required, relevant
	parents and staff are
	informed of the confirmed
	case; however, the name of
	the individual is not shared.
	6. Evidence of negative test
	results or other medical
	evidence is not required
	before admitting individuals
	back to school after
	isolation. 7. R23 During the 5
	days after a positive test
	result the following steps
	should be taken to reduce
	the chance of passing on
	COVID-19 to others:
	a. wear a well-fitting face
	covering made with multiple
	layers or a surgical face
	mask
	b. avoid crowded places
	such as public transport,
	large social gatherings, or
	anywhere that is enclosed
	or poorly ventilated
	c. take any exercise
	outdoors in places where
	you will not have close
	contact with other people
	d. cover your mouth and
	nose when you cough or
	sneeze
	e. wash your hands
	frequently with soap and
	nequently with soap and



					water for 20 seconds or use hand sanitiser after coughing, sneezing and blowing your nose and before you eat or handle food; avoid touching your face						
Hand hygiene Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3	4	HIGH	 Adequate handwashing (soap and running water) and hand sanitising facilities provided. Skin-friendly sanitising wipes used for pupils who may ingest hand sanitiser. Hand dryers or disposable paper towels provided for drying hands. Waste bins with remote/foot operated lids and lined with a bin bag provided for paper towels disposal. Visual aids displayed reminding pupils, staff, and visitors, parents to wash or sanitise their hands regularly. e-Bug resources to teach pupils and parents about hand hygiene used. Talks given to children about hand hygiene. Pupils using hand sanitiser are appropriately 	Handwashing facilities/ resources to be monitored and restocked by the site manager/ janitors on each site.	Site manager/ janitors	Daily	1	4	LOW



					supervised to avoid ingestion. 9. Younger pupils and those with complex needs are supported to practice good hand cleaning. 10. Hand sanitiser COSHH Assessment communicated to staff. 11. Behaviour policies for hand hygiene communicated to staff, pupils and parents. 12. Where possible actions taken for behaviour management will not involve touching a pupil.							
Respiratory hygiene Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3	4	HIGH	 Adequate amounts of tissues provided in occupied areas. Waste bins with remote/foot operated lids and lined with a bin bag provided for used tissue and face coverings disposal. Visual aids displayed reminding pupils staff, visitors, parents to follow the 'catch it, bin it, kill it' approach. Talks given to children about good respiratory 	Site Manager to ensure that required supplies and these are ordered and updated regularly.	Site Manager – Mr Lowndes	Ongoing	1	4	LOW	



Cleaning	• Staff				hygiene. 5. Younger pupils and those with complex needs supported to practice good respiratory hygiene. 6. Individual risk assessments conducted for pupils with complex needs who struggle to maintain good respiratory hygiene. 1. A cleaning schedule	Sito manager	Site	Ongoing			
Rooms Shared spaces Materials Equipment Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Starr Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality Effects of using hazardous cleaning substances Irritation of skin and respiratory system, damage to eyes and internal organs	3	4	HBIH	maintained for frequent cleaning of rooms, equipment and materials using standard cleaning products, detergents or antibacterial products. 2. Deep clean using fogging equipment and disinfectant solution at School Principal or SBMAT CLT request. 3. Anti-bacterial wipes/sprays available and securely stored to prevent pupil access. 4. Bins emptied frequently to suit usage. 5. Staff wear latex free gloves when cleaning and handling waste such as used tissues and PPE and wash hands after use. 6. Staff to read and follow	Site manager /janitors to ensure that classrooms/ toilet areas /reception areas are fully stocked with appropriate sprays/ cleaning products at all time	Manager – Mr Lowndes	Ongoing	1	4	TOW



					cleaning and disinfecting products COSHH Assessments. 7. Cleaning contractors asked to provide copies of their risk assessment for managing exposure to COVID-19. 8. School information sharing with contracted cleaning services to reduce exposure to COVID-19. 9. R23 GermDefence is a useful website to identify ways to protect against COVID-19.					
Face coverings Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3	4	HIGH	 R23 Staff recommended to wear a face covering or face visor (when exempt from wearing face coverings) when: a. away from the school in enclosed or crowded spaces with people they do not normally meet. b. in school in enclosed or crowded spaces with people they do not normally meet. c. in contact with someone considered at a higher risk of becoming seriously unwell from viruses. d. rates of transmission are high and there are a lot of 		1	4	LOW	



		 	 	1	
	virus's				
	e. tested positive to COVID-				
	19 or showing symptoms of				
	a virus				
'	2. Contractors, visitors,				
	parents required to wear				
	face coverings or face visors				
	(when exempt from wearing				
	face coverings) whilst inside				
	the school building in				
	crowded or enclosed spaces				
	during contact with staff and				
	pupils. 3. Supply of individually				
	wrapped face coverings				
	available at reception for				
	parents, visitors and staff to				
	wear.				
	4. R23 Users of face				
	coverings recommended				
	follow safe use guidance:				
	a. wash hands with soap				
	and water for 20 seconds or				
	use hand sanitiser before				
	putting on and after				
	removing a face covering b.				
	avoid touching part of the				
	face covering in contact with				
	the mouth and nose, c.				
	change face covering when				
	damp or if touched on the				
	part in contact with the				
	mouth and nose d. avoid				
	taking off and putting on				
	face coverings a lot in quick				
	succession e. only handle				
	Sassossion of only harland				



					the covering straps, ties or clips f . do not give used coverings to someone else to use g . single-use coverings to be disposed of carefully in a household waste bin and not recycled h . store reusable face coverings in a plastic bag until re-use or washing- i . if reusable, wash in line with manufacturer's instructions at the highest temperature appropriate for the fabric j. use a multiple layer fabric face covering that fits well around the nose and mouth				
Catering Missed meals Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Pupils Effects Hunger Depression Poor nutrition Chronic illness Poor performance Delayed physical and mental development Effects Mild flu symptoms Respiratory infection	4	4	HIGH	1. School Principal liaises with catering providers to ensure the kitchen can remain fully open and food is prepared and delivered in line with any relevant sections of the government's 'Working safely during coronavirus (COVID-19)' guidance. 2. FSM or food parcels are provided for eligible pupils who are not attending school during term time where they: - Are selfisolating. - Have	Copy of risk assessment from Chartwells	Site Manager – Mr Lowndes	Ongoing	



Pomoto leganing	Breathing difficulties Asthma Fatality				symptoms or a positive test result. - Are not attending as a result of local restrictions advised by the government. 3. Catering contractors asked to provide copies of their risk assessment for managing exposure to COVID-19. 4. School information sharing with contracted catering services to reduce exposure to COVID-19. 5. Plates and cutlery thoroughly washed at 70°C between each use. 6. Tables regularly cleaned / disinfected by staff. 7. Staff wash hands for at least 20 seconds with soap and water before serving food and before/after cleaning down.				
Remote learning	 Pupils Effects Loss of learning Loss of social development 	4	3	HIGH	1. R23 Remote learning is provided for pupils who are following clinical or government guidance to avoid contact with others and where possible stay at home, e.g. where they are		1	1	LOW



					COVID-19 positive or are unwell and have a high temperature. All such pupils not physically unwell are given access to remote education as soon as reasonably practicable. 2. School provision of remote education equipment and learning resources in accordance with Department of Education guidance.						
Ventilation Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3	4	HIGH	 Use outside space wherever appropriate. Particular consideration is given to ventilation and the size of the room when hosting events where visitors such as parents are on site, e.g. school productions. Annual inspections are carried out of ventilation systems in accordance with manufacturer's recommendations to confirm fully operational. All ventilation systems remain energised in normal operating mode. Where mechanical ventilation is used, recirculatory systems are 	Windows to be open during school events.	All staff	Ongoing	1	4	LOW



adjusted to full fresh air
where possible.
6. R23 Where possible, the
windows and trickle vents in
windows of occupied rooms
are open. In cold weather,
where this causes issues
with thermal comfort, the
following mitigations are put
in place where possible:
- Classrooms are
rearranged to minimise the
discomfort caused by
draughts from open
windows, e.g. by moving
desks and chairs
- High level windows are
opened in preference to low
level windows, to reduce
draughts
- Ventilation is increased
while the space is
unoccupied, e.g. during
break and lunchtimes
- Additional indoor clothing
worn by pupils and staff in
cooler temperatures
- Heating used as necessary
to ensure comfort levels are
maintained in occupied
spaces
7. CO2 monitors provided
by the DfE help to assess
how well-ventilated spaces
in the school are, and find a
good balance of ventilation



8. To avoid inaccurate readings, CO2 monitors are placed: - At head height when seated Away from ventilation outlets, such as grilles or windows At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading value of 800ppm, ventilation is increased in the necessary spaces. 11. School Principal consistent be necessary spaces. 11. School Principal consistent be of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows and doors is not possible.	and thermal comfort.
readings, CO2 monitors are placed: - At head height when seated Away from ventilation outlets, such as grilles or windows At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
placed: - At head height when seated. - Away from ventilation outlets, such as grilles or windows. - At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
- At head height when seated. - Away from ventilation outlets, such as grilles or windows. - At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
seated Away from ventilation outlets, such as grilles or windows At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
- Away from ventilation outlets, such as grilles or windows At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
outlets, such as grilles or windows. - At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
windows. - At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
- At least 0.5 metres away from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
from occupants of the space being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
being monitored. 9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
9. The school maintains where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
where possible a consistent CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
CO2 monitor reading value of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
of 800ppm or under. 10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
10. Where the CO2 monitor reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
reading exceeds 800ppm, ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
ventilation is increased in the necessary spaces. 11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
11. School Principal considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	the necessary spaces.
considers the use of air cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
cleaning units where consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
consistently high CO2 readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
readings of 1,500 particles per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
per million (ppm) or higher for at least one week while the room is occupied and where increasing ventilation such as opening of windows	
for at least one week while the room is occupied and where increasing ventilation such as opening of windows	per million (ppm) or higher
the room is occupied and where increasing ventilation such as opening of windows	for at least one week while
where increasing ventilation such as opening of windows	
such as opening of windows	



Communication Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 4 4 Tust Central Team where required. 3. The school's website is kept up-to-date with any important information regarding the running of the school during the coronavirus pandemic, e.g. local arrangements. 4. Staff and parents are informed of the requirement for parents to make meeting appointments. 5. School Principal liaises with the Trust Central Team where required. 4. Staff and parents are informed of the requirement for parents to make meeting appointments. 5. School Principal liaises with the Trust CLT about possible arrangements for running the school during the coronavirus pandemic, where necessary. 6. The SLT is actively present around the school monitor COVID-19 safe practice and to provide additional support, advice and reassurance. 7. School information sharing with contracted catering and	Up-to-date risk assessment to be available on the school website	Principal	Ongoing	1	4	LOW
---	--	-----------	---------	---	---	-----



					cleaning services to reduce exposure to COVID-19. 8. GOV.UK template letter provided on the advice of the health protection team is sent to parents and staff if needed.					
Providing personal or intimate care to pupils Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Pupils Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HIGH	1. Formally identified clinically extremely vulnerable or clinically vulnerable staff advised not to provide close contact personal or intimate care 2. PPE provided for staff use includes disposable latex free gloves, disposable apron, fluid resistant surgical face mask, face visor or safety goggles. 3. Staff providing personal or intimate care instructed on the safe "donning and doffing" of PPE. 4. Review of Care Plans for pupils who spit uncontrollably or use saliva as a sensory stimulant to assess PPE requirements based on individual circumstances. 5. Hand washing or sanitising by staff and pupils receiving support before and after care is provided. 6. When working with a child and close contact (less than		2	4	MEDICM	



					2-metres) cannot be avoided staff wear face visors.						
Providing first aid Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Casualty Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HIGH	1. Formally identified clinically extremely vulnerable or clinically vulnerable staff advised not to provide first aid. 2. First aiders wash/sanitise hands before and after treating a casualty. 3. Disposable gloves, disposable apron, fluid resistant surgical mask worn when administering first aid to a symptomatic individual. 4. Safety goggles or face visor worn where there is a risk of respiratory droplets splashing into eyes due to repeated coughing or vomiting. 5. First aiders instructed on the safe "donning and doffing" of PPE. 6. When performing CPR phone an ambulance and use compression only CPR until the ambulance arrives. 7. If a decision is made to perform mouth-to-mouth	CEV/CV or pregnant staff not to administer First Aid First Aid/PPE to be kept well-stocked	All staff Site Manager – Mr Lowndes	Ongoing	2	4	



					ventilation, use a resuscitation face shield where available. 8. In an emergency 999 to be called and the emergency services advised if the injured person is showing COVID-19 symptoms. 9. Assessment of First Aid requirements reviewed. 10. If the casualty is capable, tell them to do things for you.						
Staff administration of medicines or supervision of pupils who self-administer. Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	4	4	HIGH	1. Staff to wash/sanitise hands before and after administering medication to each pupil.	All staff to be reminded to wash hands/use sanitiser	All staff	Ongoing	2	4	MEDIUM
Transport of pupils and staff using school minibus and coach travel. Transmission /	 Staff Pupils Vehicle drivers Effects Mild flu symptoms	3	4	HIGH	 Transport arrangements discussed with providers, SBMAT and parents. R23 Checks carried out as far as possible to ensure transport providers: inform drivers to avoid 				1	4	LOW



Spread of Germs and	Pospiratory infaction	contact with others and try
	Respiratory infection	contact with others and try
Novel Coronavirus	Breathing difficulties	to remain at home when
(COVID-19)	Asthma	displaying main COVID-19
	Fatality	symptoms or have tested
		positive in the last 5 days
		not including the day of the
		test b. carry out cleaning of
		vehicle interiors before hire
		c. inform drivers of good
		hand hygiene rules to follow,
		d. inform drivers of good
		ventilation rules to follow by
		opening windows or using
		air conditioning.
		3. Thorough clean of the
		school minibus interior
		before and after use and
		clean of frequently touch
		surfaces during use.
		4. R23 Staff and pupils who
		are unwell, show COVID-19
		main symptoms and have a
		high temperature before
		setting off must not travel.
		Follow staff, pupils showing
		Coronavirus infection
		(COVID-19) or virus
		symptoms and have a high
		temperature section of risk
		assessment.
		5. Staff and pupils reminded
		to follow good hand hygiene
		rules and wash or sanitise
		hands before entering
		vehicle and again after
		travel.



					6. Through ventilation of the school minibus using fresh air (from outside the vehicle) maximised by opening windows and ceiling vents.							
Availability of equipment and PPE Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Pupils Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HIGH	 Alcohol-based hand sanitiser containing at least 60% alcohol available where hand wash sinks are not available such as isolation rooms, first aid rooms, shared spaces, entrance and exit points. Latex free gloves available in classrooms and isolation locations and first aid rooms. Face masks with an FFP2 or FFP3 rating if available or fluid resistant surgical mask in isolation rooms. Fluid resistant surgical mask available in first aid rooms and classrooms. Face visors or safety goggles available in isolation locations and first aid rooms. Disposable aprons available in isolation locations and first aid rooms. 	Hand sanitisers/ dispensers to be kept fully stocked by site manager and janitors.	Site Manager – Mr Lowndes	Ongoing	2	4	MEDIOM	



	1	<u> </u>		1	1	1	
		7. Replenishment of stocks					
		of hand sanitising gel, liquid					
		soaps and PPE.					

Educational visits Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	Staff Pupils Parents Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	3	4	HOH	1. Educational visits are conducted in line with government guidance. This includes the COVID-secure measures in place at the destination. 2. A full and thorough risk assessment is made in relation to all educational visits to ensure they can be undertaken safely, and all trips are conducted in line with their risk assessment. 3. Obtain and follow wider advice on visiting indoor and outdoor venues. Outdoor Education Advisory Panel (OEAP). 4. Ensure that any new bookings have adequate financial insurance protection in place.	Risk assessments to be requested from companies prior to educational visits Any bookings to be checked for cancellation policy prior to educational visits	All Staff All staff	Ongoing	1	4	MOT
---	--	---	---	-----	--	---	---------------------	---------	---	---	-----



Music, dance and drama Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Visitors Parents Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3	4	HIGH	1. Ensuring good ventilation and adequately sized rooms are used 2. Latest advice in the DCMS performing arts guidance 3. R23 Peripatetic teaching staff across multiple groups or individuals advised to avoid contact with persons and to try to stay at home when they have COVID-19 symptoms, feel unwell with a high temperature and when tested positive within the last 5 days not including the day of the test.	Windows to be open during music sessions	All staff	Ongoing	1	4	TOW
Contingency planning Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Parents Visitors Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	4	4	HIGH	1. The school has a Coronavirus (COVID-19): Contingency Plan that can be implemented if restrictions need to be stepped up due to coronavirus, including the reintroduction of face coverings.				2	4	MEDIUM



Physical activity Transmission / Spread of Germs and Novel Coronavirus (COVID-19)	 Staff Pupils Visitors Parents Contractors Effects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	3	4	HIGH	 Sports equipment thoroughly cleaned regularly Hand washing/sanitising before and after activity. Additional through ventilation provided in indoor spaces by opening of windows and doors and using fresh air ventilation systems when available. R23 Cross-school competitions to be risk assessed prior to the event with consideration given to the prevalence of COVID-19/virus's in the schools participating. Guidance on coronavirus (COVID-19) measures for grassroots sport participants, providers and facility operators to be followed. 	Risk assessments to be completed and shared with the Principal/Site Manager	All staff	Ongoing	1	4	LOW	
--	--	---	---	------	---	---	-----------	---------	---	---	-----	--

Stress	Staff				1. SBMAT Stress Policy		Principal				
	 Pupils 				communicated to all staff.						
	Symptoms R Anxiety	ISK	ASS	SESSME	2. Awareness about all types Vot FORManMANAGING HEA raised through discussions,	LTH AND SAFET	Y		X	THE ST. B ACAD TRUS	ART'S EMY
	Excessive drinking Overeating Sleeping poorly Shaking, chills or hot flushes A tingling sensation in your arms or legs Headaches Muscle tension Dizziness High blood pressure Indigestion Constipation or diarrhea Shallow breathing or hyperventilating Effects Poor emotional and physical wellbeing	4	4	H9IH	literature and training. 3. Changes to work-related practices to reduce the factors which may lead to stress in the workplace. 4. Opportunities for staff and employees to maintain and promote their health and wellbeing 5. A culture of open communication throughout the organisation 6. Good management and team building practices for those with management and supervisory responsibilities 7. Supportive environment in which issues and concerns can be raised and dealt with appropriately 8. Guidance for managers to assist in the sensitive management of staff likely to encounter stressful situations 9. Appropriate training interventions to help alleviate the stress 10. Assist and advise staff suffering from work-related stress	Mental Health INSET to be carried out for all staff by the Principal on 1st September 2021 and mental health charter to be revisited 2022 Mental Health First Aiders highlighted to all staff – Mrs Birchall and Mrs Burdett Positive relationships reinforced Able Futures website/phone number displayed in the staffroom for all staff to see and on the safeguarding bulletin	Principal All staff Vice Principal	From 1st Septemb er 2021 onwards From 1st Septemb er 2021 onwards Daily From 1st Septemb er 2021 onwards	2	3	MEDIUM



The level of risk is calculated by:

The likelihood

- x The Consequence
- 1- Very unlikely
- 2- Unlikely
- 3- Fairly likely
- 4- Likely
- 5- Very likely

- 1- Insignificant (no injury)
- 2- Minor (minor injury needing first aid)
- 3- Moderate (up to 3 days absence)
- 4- Major (more than 3 days absence)
- 5- Catastrophic (death)

Risk rating:

1 – 4	Low (acceptable)	No further action required
5 – 9	Medium (adequate)	If risk cannot be lowered any further, consider risk against benefit. Monitor and look to improve at next review
10 – 16	High (tolerable)	Identify further control measures to reduce risk rating. Seek further advice e.g. line manager, H&S team, etc.
17 - 25	Very High (unacceptable)	Do not undertake the activity. Implement immediate improvements